









**Indoor / Outdoor Heaters**

IMAGE	Model No.	UPC	Description
<b>GAZEBO / PORCH / SCREEN ROOM</b>			
	HEA-21523	8 22990 01593 8	1500 watts infrared gazebo heater ; IPX4 certified (protected against rain & dust) ; 110V 60Hz ; 12.20" x 16.73" x 16.73"
	HEA-21723	8 22990 01723 9	1500 watts infrared gazebo heater ; IPX4 certified (protected against rain & dust) ; 110V 60Hz 12.20" x 16.73" x 16.73"
	HEA-21524	8 22990 01683 6	750 - 1500 watts infrared gazebo heater ; IPX4 certified (protected against rain & dust) ; 110V 60Hz 11" x 16.73" x 16.73"
	HEA-22000-HBR	8 22990 01694 2	750 - 1500 watts infrared gazebo heater ; IPX4 certified (protected against rain & dust) ; 110V 60Hz 11" x 16.73" x 16.73"
	HEA-21538W	8 22990 01843 4	1500 watts infrared gazebo heater ;White; IP24 certified (protected against rain & dust) ; 110V 60Hz 12.20" x 16.73" x 16.73"
	HEA-21538R	8 22990 01841 0	1500 watts infrared gazebo heater ;Red; IP24 certified (protected against rain & dust) ; 110V 60Hz 12.20" x 16.73" x 16.73"
	HEA-21538S	8 22990 01722 2	1500 watts infrared gazebo heater ;Silver: IP24 certified (protected against rain & dust) ; 110V 60Hz 12.20" x 16.73" x 16.73"
	HEA-21288LED-BK	8 22990 01891 5	700, 800 or 1500 Watts hanging infrared heater with LED light and remote control. IPX24 certified (protected against rain & dust) ; 110V 60Hz 17.72" x 17.72" x 11.02"
	HEA-21568-BK	8 22990 01928 8	700, 800 or 1500 Watts hanging infrared heater with LED light and remote control. IPX24 certified, <b>NEW HANGING CABLE DESIGN</b> (protected against rain & dust) ; 110V 60Hz 17.72" x 17.72" x 4.00"
	HEA-21522MI-S	8 22990 01797 0	700 - 800 - 1500 watts infrared gazebo heater ; IP24 certified (protected against rain & dust) ; 110V 60Hz 13.78" x 19.69" x 19.69"

**Indoor / Outdoor Heaters**


IMAGE	Model No.	UPC	Description
	HEA-21522MI-B	8 22990 018403	700 - 800 - 1500 watts infrared gazebo heater ; IP24 certified (protected against rain & dust) ; 110V 60Hz 13.78" x 19.69" x 19.69"
<b>FREE STANDING HEATERS</b>			
	HEA-21212	8 22990 01897 7	1000 Watt free standing infrared heater IP55 certified against dust and rain. 25.5" x 8" X 8"
	HEA-20960-D1	8 22990 01853 3	Small size designed to provide 900 Watts heat under a table; Uses standard 110V outlets; 2 meter power supply cord ; ETL & IP 24 certified , protected against dust and rain. 26.5"x11" x11"
	HEA-21548-BB	8 22990 01947 9	Power 1500watts Carrying & storage bag included Portable cSGSUS certified IP54 approved 62*41*36
	HEA-21821SH-T	8 22990 01896 0	700-800 or 1500 watts Free standing infrared heater cETLus & IP44 certified against dust and rain. 18.11" x 23.62" x 80.71"
	HEA-218CSLR-SS	8 22990 01856 4	Free Standing infrared heater, telescopic pole 1500 Watts with LED Lights; 2 meter (6' 2") adjustable stand pole; IP55 certified (protected against rain and dust) ; 110V 60Hz; LED lighting 72" x 35" x 16"
	HEA-215110CVR	8 22990 01861 8	1500 Watts free standing, high efficiency aluminum reflector heater with wireless remote control. ETL & IP 24 certified against dust and rain 120 V 60Hz 12" x 12" x 51.2" in
	HEA-915	8 22990 01766 6	750 - 1500 watts outdoor free standing infrared ; IP55 certified (protected against rain and dust) ; 110V 60Hz 63" x 20" 10"

**Indoor / Outdoor Heaters**

IMAGE	Model No.	UPC	Description
<b>Tables with built-in heating</b>			
	HEA-115J88-GOLD	8 22990 01927 1	Bistro Table 1500 Watts Heater with <b>STAINLESS STEEL SURFACE</b> ; Uses standard 110V outlets, 360° heat distribution, 30.5" x 23.625"x23.625"
	HEA-14756LED	8 22990 01852 6	Bistro Table 1400 Watts Heater with LED light; Uses standard 110V outlets, 360° heat distribution, LED designer blue light, 30.5" x 23.625"x23.625"
	HEA-215J67	8 22990 01875 5	Bar height heated table with LED light. Uses standard 110V, 1500 watts, 360° heat distribution, cETLus & IP44 certified. 2 BOXES 44" h x 23.65" x 27.55"
	HEA-1575J67L-2	8 22990 01873 1	Bistro style table with infrared tower and LED light. Uses standard 110V, 1500 watts, 360° heat distribution, cETLus & IP24 certified. 2 BOXES 29.50" h x 23.65" x 27.5"
<b>WALL &amp; CEILING MOUNTED HEATERS</b>			
	HEA-21531	8 22990 01595 2	750 - 1500 watts wallmount infrared heater ; IP44 certified (protected against rain & dust) ; 110V 60Hz ; 8cmD * 50cmW * 25cmH
	HEA-21533	8 22990 01672 0	1500 watts wallmount infrared heater with LED light; IP44 certified (protected against rain & dust) ; 110V 60Hz ; 15,9cmD * 75cmW * 12,8cmH
	HEA-21545	8 22990 01876 2	1500 Watts Wall Mounted or Hanging infrared heater with remote control. GOLD heat bulb technology. cETLus certified & waterproof, IP55 certified against dust and rain. 60 x 10 x 16.5 cm (23.6 x 3.9 x 6.5 in)
	HEA-21899	8 22990 01899 1	750 or 1500 Watts wall mount infrared heater. Glareless. IP55 certified against dust and rain. 116 x 15 x 5 cm
	HEA-23046W	822990019349	The new High Power 1500 or 3000 Watts EnerG + <sup>TM</sup> HEA-23046WMRM
	HEA-21580	822990019332	1500 watts (5100 BTU) and is cETLus electrically certified. IP55 certified The new GOLD heat bulb produces more heat than other carbon technology bulbs. 45 x 10 x 15 cm






### Indoor / Outdoor Heaters

IMAGE	Model No.	UPC	Description
	HEA-21590-BT		Wall mount heater with Gold heating element. Size: 27.95" X 5.91" X 3.94" cETLus IP 55 against dust and rain 1.8 meters power supply cord. High rated aluminum



**Indoor / Outdoor Heaters**

IMAGE	Model No.	UPC	Description
 <b>Solar Pest Repeller</b>			
	EN657	822990018601	<p>The Energ+ solar pest repeller repels animals in a combination of methods. There are variable sound settings and a bright flashing strobe light. It is weatherproof, made of durable ABS plastic and corrosion proof aluminum. Box size: 4.7 x 6.5 x 17</p>
	EN656-2 2 per Box	8 22990 01187 9	<p>The Energ+ solar pest repeller repels rodents by emitting an intermittent combination of sound and vibration. It is weatherproof, made of durable ABS plastic and corrosion proof aluminum. Box size: 4.7 x 6.5 x 17</p>